



Technical datas Ordinary PLYWOOD 4mm					
NO	Property		Unit	Test Method	Value of Test
1	Moisture Content		%	EN322	8-12
2	Density		kg/m3	EN322	530
3	Bonding Quality	Bonding Quality	Mpa	EN314	Max: 0.95 Min: 0.75
		Damage Rate	%	GB/T9846-2015	60%
4	Bending Modules of Elasticity	Longitudinal	Mpa	EN310	6800
		Lateral			5920
5	Bending Strength N/mm	Longitudinal	Mpa	EN310	63
		Lateral			48

Со почит,

